

STANLEY-HANDYMAN T2 TOOL UNIT

(RETAIL VALUE \$305.00)

SHIPPING WEIGHT 110 LBS.

New "T2" Tool Unit of medium-priced Stanley-Handyman matched tools is a well-balanced selection of best sellers. The addition of new tools make this a dynamic tool unit which promotes a fast turnover.

.

"Eye appeal" and "buy appeal" — Stanley-Handyman tools have it! This is a **matched** line of durable tools. The red and grey color combination appeals to every type of buyer. Aids self-selection and quick service.

.

Selling, stocking and reordering is simplified through the use of price tickets. All tickets held firmly in place by metal holders. **Every** tool named, numbered and priced for customer, and your, convenience.

.

Set of colorful window posters, list price card, want list and order form are packed with each "T2" tool unit.

.

To Help You Sell — A complete merchandising program is available to help you tell and sell your customers on Stanley-Handyman matched tools. A unit of three cartoon-type window posters, colorful envelope stuffers complete with order blanks and consumer rotogravure catalogs will help you sell Stanley-Handyman matched tools.

.

Proved by overwhelming selling success during the past three years, the Stanley-Handyman program has now been **improved** to give you bigger profits, quicker.

Quan. (Per Unit)	Item	No.	Size	Quan. (Per Unit)	Item	No.	Size
2	Awl, Scratch	H1202	3½"	2	Nail Claw	H33	11"
2	Bevel	H1225	8"	2	Chisel, Offset Ripping	H818	18"
2	Bit, Auger	H1227	4/16"	2	Ripping Bar	H1224	24"
2			6/16"	1	Plane, Bench	H1204	9"
2			8/16"	1		H1205	14"
1			10/16"	1	Plane, Block	H1249	7"
1			12/16"	2		H1247	6½"
2	Bit, Electric Drill	105	¾"	2		101	3½"
2			½"	2			
2			¾"	2	Rule, Pull-Push	1206W	6 ft.
2			1"	2		1208W	8 ft.
1	Bit, Expansive	129	—	2		1210W	10 ft.
2	Bit, Sc. Driver	H1226	¼"	2		H1260	6 ft.
2			¾"	1	Steel Tape	6350	50 ft.
2	"Screw-Mate" Drill	1525	1" x 8"	2	Rule, Zig-Zag	96	6 ft.
2			1¼" x 8"	2		X246	6 ft.
2			¾" x 8"	2		106	6 ft.
2			1½" x 8"	2	Scraper	293	—
2			1½" x 10"	2	Screw Driver	H1270	3"
2	Nail Set	H1211	2/32"	2			4"
2			3/32"	2			6"
2	Punch, Center	H1210	⅛"	2		1721	—
1	Bit Brace	H1250	10"	2		1722	—
2		H1253	10"	2		3006	3"
2				2			4"
2	Countersink	137	—	2			6"
2		139	—	2		3007	4"
2	Chisel, Cold	H38	¾"	2			6"
2		H48	½"	2		3008	3"
2		H68	¾"	2			6"
2	"C" Clamp	H152	—	2		3010	2"
2	"C" Clamp	H156	—	2		3012	1¼"
2	Corner Clamp	404	—	2		3016	4"
2	Punch, Center	H8	¾"	2	Screw Driver, Sp. Ratchet	133H	—
2	Pin Punch	H6	5/32"	2		233H	—
2	Chisel, Wood	H1252	¼"	2	"Surform" File Type	295	—
2			½"	2	"Surform" Plane Type	296	—
2			¾"	2	"Surform" Blade	294	—
2			1"	1	Soldering Iron	420	50 watts
2			1¼"	2	Square, Combination	H1222½	12"
2			1½"	2	Steel Square	900	2'
2	Drill, Hand	H1214	—	1	Vise, Woodworkers	702	—
1		H1220	—	1	Vise, Bench	H1209	—
2	Drill, Push	46	—	2	File	1545	11¾"
2	Utility Knife	299	—	2	Pliers	1500	6"
5	Box of 5 Knife Blades	1991	—	2	Pliers, Pump Type	1503	—
2	Hammer, Nail	H111½	16 oz.	2	Putty Knife	1540	1½"
2		H121½	16 oz.	1	Saw, Hand	1526	26"
1	"Nailmaster" Hammer	N1½	16 oz.	2	Hack Saw Frame	H1265	—
1	Hammer, Ball Pein	H0310	16 oz.	2	pck. Hack Saw Blades (1 pck. — 10 blades)	B2412	12"
1	Hatchet	H122	3½"	1	Snips, Duckbill	1541	10"
2	Level, Torpedo	H1293	9"	2	Wrench, Adj. Angle	1536	8"
2	Level, Pine	H1294	18"	2	Wrench Set	1529	—
1	Level, Pine	H1295	24"				
2	Level, Line	H1287	—				
1	Level, Aluminum	H1297	24"				

**STANLEY HANDYMAN
MATCHED TOOLS****FIXTURE ONLY**

Each

✦H2-G X67D50

TOOL UNIT

Each

✦T2-G X209D80

COMPLETE UNITS

Each

✦HT2-G X267D30


Items marked ✦ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., New Britain, Conn., full freight allowed only on complete units—No freight allowed on T2 Tool Unit only, or on H2 Fixture.

NEW No. HT2 UNIT

**DYNAMIC
BETTER DISPLAY!
12 NEW TOOLS ADDED**

FAST-SELLING MATCHED TOOLS

Fits Anywhere . . .



**IN AN IRHA
GONDOLA**


Fits top to make
eye-stopping display.

**INTO A
WALL UNIT**


Easy and fast to
set up; will har-
monize with other
displays.



**ON A
SHOPPING
ISLAND**



Perfect for standard
step-up island; sell
matched tools from
one side, use other
side to display and
sell other merchan-
dise.




New, store-tested merchandiser plus dealer-selected, best-selling Stanley-Handyman matched tools make the HT2 unit a dynamic selling display. Guarantees turnover, promotes self-selection and quick service. Proved by dealer enthusiasm after 3 years in the field, Stanley-Handyman program is now better and sharper with the addition of new tools, new merchandising display and accessories, and bright colors.

No. HT2 unit comes complete with . . .



PEG BOARD PANEL

Locations of tools, hooks and price-card holders stenciled on yellow peg board for easy assembly. Size 62" wide x 30" high; 3/4" thick peg board back panel.



SELF-CLEANING BINS

Base is perforated, keeps clean. Binning area stenciled to indicate positioning of glass partitions and locations of tools. Size: 60" wide; 16 3/4" deep.



METAL SCREW DRIVER RACK

Displays and prices all screw drivers, push drills and spiral ratchet drivers furnished with unit.



PRICE TICKETS

Every tool named and priced. Metal holders for tickets. Easy to insert and change.



TOOL HOOKS

Specially designed for holding Stanley-Handyman matched tools on HT2 display. Hooks simply and quickly attached.

plus **STANLEY**
HANDYMAN
MATCHED TOOLS

"T2" Tool Unit, a basic selection of market-tested and related, matched tools is listed on the back of this page. Entire tool unit of 198 items is offered with the "H2" Fixture complete with accessories at:

your cost

No. H2 Fixture	\$ 57.50
No. T2 Tool Unit	203.35
Order HT2 Unit Complete	\$260.85

("H2" Fixture \$67.50 when purchased alone)

Shipping Weight: No. H2 Fixture, 89 lbs.

No. T2 Tool Unit, 110 lbs.

STANLEY THE TOOL BOX OF THE WORLD

www.roseantiquetools.com

**STANLEY HANDYMAN
MATCHED TOOLS****FIXTURE ONLY**

Each

✦H3-G X27D50

TOOL UNIT

Each

✦T3-G X79D33

COMPLETE UNIT

Each


✦HT3-G X101D83

Items marked ✦ not carried in stock. Can only be furnished by shipping direct from factory, F. O. B., New Britain, Conn.

COMPACT TOOL DISPLAY
BASIC SELECTION OF
BEST SELLING
MATCHED TOOLS

NEW!

HT3



COMPLETE DISPLAY WITH MATCHED TOOLS

Compact and packed with big profits from quick turn-over of most-needed matched tools. Size: peg board back panel 24" high, 30" wide; bin area 29½" wide, 11" deep. Will sell in any store!

No. HT3 unit comes complete with . . .



PEG BOARD PANEL

Locations of tools, hooks and price-card holders stenciled on yellow peg board for easy assembly. Size: 24" high; 30" wide; ¼" thick peg board.



SELF-CLEANING BINS

Base is perforated, keeps clean. Binning area stenciled to indicate positioning of glass partitions and locations of tools. Size: 30" wide; 11" deep.



METAL SCREW DRIVER RACK

Displays and prices all screw drivers and spiral ratchet drivers furnished with unit.



PRICE TICKETS

Every tool named and priced. Metal holders for tickets. Easy to insert and change.



TOOL HOOKS

Specially designed for holding Stanley-Handyman matched tools on HT3 display. Hooks simply and quickly attached.

plus **STANLEY**
HANDYMAN

MATCHED TOOLS

Store-tested "H3" Fixture plus best-selling Stanley-Handyman "T3" Tool Unit guarantee fast sales. "T3" Unit contains 73 tools, described on back of this page.

**your
cost**

No. H3 Fixture \$22.50

No. T3 Tool Unit 77.00

Order HT3 Unit Complete \$99.50

("H3" Fixture \$27.50 when purchased alone)

Shipping Weight: No. H3 Fixture, 31 lbs.

No. T3 Tool Unit, 45 lbs.

STANLEY THE TOOL BOX OF THE WORLD

www.roseantiquetools.com

STANLEY-HANDYMAN "T3" MATCHED TOOL UNIT

(RETAIL VALUE \$115.50)

SHIPPING WEIGHT 45 LBS.

Quan. (Per Unit)	Item	No.	Size	Quan. (Per Unit)	Item	No.	Size	Quan. (Per Unit)	Item	No.	Size
2	Bit, Auger	H1227	4/16"	2	Level, Torpedo	H1292	9"	3	Screw Driver	H1270	3"
2			6/16"					3			4"
2			8/16"								
2	Nail Set	H1211	2/32"	1	Level, Pine	H1294	18"	3		1721	1 pt.
								3		1722	2 pt.
1	Bit Brace	H1253	10"	2	Level, Line	H1287	—				
2	Chisel, Wood	H1252	1/2"	2	Chisel, Offset Ripping	H818	18"	3		3006	3"
2			3/4"					3			6"
2			1"	1	Plane, Bench	H1204	9"	2	Screw Driver, Sp. Ratchet	233H	—
1	Drill, Hand	H1220	—								
2	Utility Knife	299	—	2	Plane, Block	H1247	6 5/8"	2	Square, Combination	H1222 1/2	12"
5	Box of 5 Knife Blades	1991	—	2	"Surform" File Type	295	—				
2	Hammer, Nail	H111 1/2	16 oz.	2	Rule, "Pull-Push"	1206W 1208W	6 ft. 8 ft.	1	Vise, Bench	H1209	—
2	"Nailmaster" Hammer	N1 1/2	16 oz. (all-steel; neoprene grip)	2	Rule, "Zig-Zag"	96	6 ft.	2	Pliers	1500	6"

STANLEY HANDYMAN TOOLS


BENCH PLANES

Grey iron castings. Sides and bottom are ground smooth and true. Tempered tool steel double plane irons, fully adjustable. Gray and red trim. Hardwood handles and knobs.



Smooth

Each			Lgth. ins.	Cutter ins.	Wt. lbs.	Box ▲ Each
	(H1203)					
F3947G	X3D73★		8	1 3/4	3	\$5.60
	(H1204)					
F3948G	X4D00★		9	2	3 3/8	5.98



Jack

Length 14 inches. Cutter 2 inches wide.

Each			▲ Each
F3949G	(H1205)	X4D67★	\$6.98

One in box. Wt. box 4 1/4 lbs.



Grey iron castings. Bottom and sides milled smooth. Tempered steel cutter, adjustable end-wise by means of a lever. Red trim. Hardwood knob.

Length 6 5/8 inches. Cutter 1 5/8 inches wide.

Each			▲ Each
F3945G	(H1249)	X1D87	\$2.80

One in box. Wt. box 1 3/8 lbs.



Grey iron castings. Bottom milled and ground. Non-adjustable steel cutter. Red trim. Hardwood knob.

Length 6 5/8 inches. Cutter 1 5/8 inches wide.

Each			▲ Each
F3950G	(H1247)	X1D47★	\$2.20

One in box. Wt. box 1 3/8 lbs.

UTILITY KNIVES



Aluminum handle with hole for hanging. Five razor type blades and blade guard packed in handle.

Length 5 1/2 inches.

Each			▲ Each
F4184G	(299)	D6C7	\$1.00

Six in box. Wt. box 1 1/2 lbs.


EXTRA BLADES

For F4184G (299) Utility Knives

Per Pkg.			▲ Per Pkg.
F4187G	(1991)	D3C3	\$0.50

Ten pkg. in box. Wt. box 2 ozs.

FOLDING RULES



Zig-Zag

Selected native hardwood. White finish with big black numbers and sharp even graduations. Brass plated concealed spring joints. Graduated in 16th on both edges.

Length 6 Feet

Outside Reading

Each			▲ Each
F4079G	(96)	D6C0	\$0.89

Inside Reading

Each			▲ Each
F4080G	(96F)	D6C0	.89

Twelve in box. Wt. box 2 3/4 lbs.

SCRAPERS




One piece hardwood head and handle, natural finish with red trim. Reversible steel blade. Extra blade clamped in slot. Blades easily changed.

Length over all 8 3/4 inches. Blade 2 1/2 inches wide.

Each			▲ Each
F4201G	(293)	D8C7	\$1.29

Six in box. Wt. box 3 1/4 lbs.

EXTENSION RULES




Hardwood. Plastic coated white finish. First leg extra thick with solid brass extensions slide for inside measurements. Each leg opens to even numbers. Useful as marking gauge in even numbers. Nickel plated silver ball socket joints.

Length 8 Feet—Plus 8 inch Slide

Each			▲ Each
F4137G	(X246)	X1D47	\$2.20

Six in box. Wt. box 1 3/4 lbs.

TAPE RULES




Push Button Return

Automatic rule. Attached bright steel blade, 1/2 inch wide. Graduated in 16ths on both edges. First 6 inches on upper edge in 32nds. Hook on end of blade. Nickel plated case.

Length 6 Feet

Each			▲ Each
F5019G	(H1260)	D4C9★	\$0.75

Twelve in ctn. Wt. ctn. 2 1/2 lbs.



Push-Pull

Handsomely finished chrome plated "D" shaped case 2 inches wide. Replaceable 1/2 inch steel blade with baked on white enameled face with large black gothic numerals and markings. Nickel plated back. Rigid for straight measuring and flexible enough for circular and angular surfaces. Hook on end.

Graduations 16ths entire length and 32nds on first 12 inches on upper edge.

Each			Lgth. ft.	Wt. Box, lbs.	▲ Each
F5016G	(1206W)	D8C0★	6	1 1/4	\$1.19
F5017G	(1208W)	D9C3★	8	1 1/2	1.39
F5018G	(1210W)	X1D13★	10	1 5/8	1.69

Six in box

STAR ★ DENOTES BEST SELLER

STANLEY HANDYMAN TOOLS

PLUMBS AND LEVELS



Cast aluminum body. Light weight, rigid and waterproof. Top and bottom milled parallel. Four plumb and two level glasses. Heavy glass protecting covers set in rubber gaskets. Aluminum finish.

Length 24 inches. Height $2\frac{3}{16}$ inches. Width $1\frac{1}{8}$ inches.

Each ▲ Each
F3749G (H1297/24) X4D93..... \$7.40

One in box. Wt. box $2\frac{1}{4}$ lbs.



Seasoned pine stock $2\frac{1}{4} \times 1\frac{1}{16}$ inches. Clear fluid glasses. Hand grip on both sides. Natural finish. Single level under top plate and single plumb.

Each			Lgth., ins.	Box, lbs.	Wt. ▲ Each
F3773G (H1294/18) X1D56★	18	$2\frac{3}{4}$			\$2.35
F3774G (H1294/24) X1D83★	24	$3\frac{1}{2}$			2.75

Three in box



Seasoned pine stock, $2\frac{1}{4} \times 1\frac{1}{16}$ inches. Natural finish. One level and one plumb clear fluid glasses. Length 24 inches.

Each ▲ Each
F3745G (H1295/24) X2D27..... \$3.39

Three in box. Wt. box 9 lbs.



Torpedo

Seasoned walnut stock $9 \times 1\frac{1}{4} \times \frac{3}{4}$ inches. Natural finish. One plumb and one level cat's eye glasses. Nickel plated top plate.

Each ▲ Each
F3747G (H1292) X1D00..... \$1.50

One in box. Wt. box $1\frac{3}{4}$ lbs.

LINE LEVELS



Aluminum body with proved glass. Patented hooks hold it on a line for surface leveling.

Length $3\frac{1}{8}$ inches.

Each ▲ Each
F3748G (H1287) D4C7..... \$0.70

One in box. Wt. box 1 oz.

TANG BUTT CHISELS

Beveled Edge— $2\frac{1}{2}$ -inch Blade

Blade and bolster forged in one piece from high grade steel and treated to hold a keen cutting edge. Tough, amber-colored, transparent plastic handles.

Each			Width Blade, ins.	Box, lbs.	Wt. ▲ Each
F1350G D9C3			$\frac{1}{4}$	$\frac{3}{8}$	\$1.39
F1351G X1D00			$\frac{3}{8}$	$\frac{3}{4}$	1.49
F1352G X1D07★			$\frac{1}{2}$	$\frac{3}{4}$	1.60
F1353G X1D09★			$\frac{3}{4}$	$1\frac{1}{8}$	1.64
F1354G X1D27★			1	$1\frac{1}{2}$	1.90
F1355G X1D47			$1\frac{1}{4}$	2	2.20
F1356G X1D67			$1\frac{1}{2}$	$2\frac{1}{4}$	2.50

Six in box

SAWS



Cross Cut

Finest saw steel, carefully set and filed. Embossed stained brown hardwood handles fastened by nickel plated screws and medalion.

Length of blade 26 inches. Eight points to the inch.

Each ▲ Each
F310G (1526) X2D96..... \$4.45

One in box. Wt. box 3 lbs.

PUTTY KNIVES




Flexible steel blade, ground and polished. Tropical wood handle fastened by two rivets.

Length of blade $3\frac{1}{4}$ inches. Width $1\frac{1}{8}$ inches. Length over all $6\frac{7}{8}$ inches.

Each ▲ Each
F4200G (1540) D3C3..... \$0.49

Six in box. Wt. box $1\frac{1}{2}$ lbs.

STEEL SQUARES



Flat steel body and tongue, polished finish. Body 24×2 inches. Tongue $16 \times 1\frac{1}{2}$ inches. Outside edges graduated in 8ths, inside in 4ths. Back of face has Essex board marking, 4ths graduations.

Each ▲ Each
F4258G (900) X1D73★..... \$2.59

Six in box. Wt. box $11\frac{1}{2}$ lbs.

COMBINATION SQUARES



Used as inside, outside and mitre square plumb, level and marking gauge.

Grooved steel blade graduated in 8ths, 16ths, and 32nds. Cast iron handle with level glass and pin type scriber. Handle finished in grey with machined edge surfaces. Length 12 inches.

Each ▲ Each
F4254G (H1222 $\frac{1}{2}$) X1D49★..... \$2.25

Six in box. Wt. box $4\frac{1}{2}$ lbs.

STAR ★ DENOTES BEST SELLER

STANLEY HANDYMAN TOOLS


HAND DRILLS



Solid gray iron wide flange, gear and two steel pinions with machine cut teeth. All steel frame. Three-jaw steel chuck, $\frac{1}{4}$ -inch capacity. Natural wood color knobs and hollow handle with large red screw cap and eight drill points. Steel parts nickel plated with polished chuck and red gear. Length $11\frac{1}{2}$ inches.

With Eight Drill Points

Each **F5958G (H1220) X3D29★**\$4.95 ▲ Each
One in box. Wt. box $1\frac{1}{4}$ lbs.




Hexagon steel frames. Smooth running gears and single pinions. Three-jaw chucks with $\frac{1}{4}$ -inch capacity. Natural color hardwood handles and knobs. Red gears. Bright steel parts. Length 12 inches.

Solid Handle and Knob

Each **F5957G (H1214) X2D00★**\$2.98 ▲ Each
One in box. Wt. box $1\frac{1}{8}$ lbs.

DRILL POINTS



Fit any 3-jaw hand drill chuck.

Set of 8

Sizes $\frac{1}{64}$ to $\frac{1}{16}$ inch diameter.

Each set packed in handy acetate vial with screw cap.

Per Set **F9200G (600) D6C7**\$1.00 ▲ Per Set
Twelve sets in box. Wt. box $\frac{3}{4}$ lb.

COUNTERSINKS

Rose Type—For Wood or Metal

Nickel-molybdenum alloy steel, hardened and tempered for toughness. Cutting edges are clean and sharp. Polished finish.



For hand drills. Length $2\frac{1}{2}$ inches. Cutting edge $\frac{1}{2}$ inch.

Each **F6253G (137) D4C3★**\$0.65 ▲ Each
Six in box. Wt. box $\frac{1}{2}$ lb.



For any bit brace. Length 4 inches. Cutting edge $\frac{3}{4}$ inch.

Each **F6284G (139) D7C3**\$1.10 ▲ Each
Six in box. Wt. box 1 lb.

PUSH DRILLS



For boring small holes in wood. Drill point is revolved by pushing on handle, while a spring forces handle back in position for the next stroke. Grey plastic handle with red cap. Four drill points, one each $\frac{5}{64}$, $\frac{1}{16}$, $\frac{3}{32}$ and $\frac{1}{8}$ inches in magazine handle. Length with drill point in chuck $10\frac{1}{2}$ inches.

Each **F3730G (46) X2D67★**\$4.00 ▲ Each
One in box. Wt. box $\frac{1}{2}$ lb.

SCREW DRIVERS



For Phillips Screws and Bolts

Polished tempered steel bar with accurately machined points. Tough plastic two-tone amber and red handles securely anchored on bar.

(1721)

Point Size	Length Bar, inches	Length over all, inches	Weight box lbs.	▲ Each
1	$2\frac{3}{4}$	$5\frac{1}{2}$	$\frac{1}{2}$	\$0.59

(1722)

2	$3\frac{3}{4}$	$6\frac{3}{4}$	$1\frac{1}{4}$	.72
---	----------------	----------------	----------------	-----

STAR ★ DENOTES BEST SELLER

SCREW DRIVER BITS



For use in bit braces.

Forged from high grade steel, carefully tempered. Machine cross ground tips. Polished finish with red tang. Length $4\frac{1}{2}$ inches.

Each	Size Tip, in.	▲ Each
F6273G (H1226$\frac{1}{4}$) D3C1	$\frac{1}{4}$	\$0.45
F6274G (H1226$\frac{3}{8}$) D3C3	$\frac{3}{8}$	.49

Twelve in box. Wt. box $1\frac{1}{4}$ lbs.

SPIRAL RATCHET SCREW DRIVERS



Wood handle, grey finish with red ferrule. Quick return style with sturdy ratchet action. Complete with $\frac{1}{4}$ inch steel bit. Length over all with bit $9\frac{5}{8}$ inches.


Each **F3652G (133H) X2D33**\$3.50 ▲ Each
One in box. Wt. box $\frac{1}{2}$ lb.



Transparent acetate magazine handle with chrome plated steel cap and red ferrule. Quick return, with sturdy ratchet action. Complete with $\frac{1}{4}$ and $\frac{5}{8}$ inch bits, $\frac{5}{64}$, $\frac{1}{16}$ and $\frac{3}{32}$ inch drill points. Length over all with bits 10 inches.

Each **F3655G (233H) X3D33**\$4.98 ▲ Each
One in box. Wt. box $\frac{5}{8}$ lbs.

ACCESSORY PACKS FOR SPIRAL SCREW DRIVERS



Attractive display card holds set of three drill points— $\frac{5}{64}$, $\frac{1}{16}$ and $\frac{3}{32}$ inch, $\frac{5}{32}$ inch screw driver bit and countersink

Per Pack **F8829G (330H) X1D27**\$1.90 ▲ Per Pack
Six packs in merchandiser. Wt. $\frac{3}{8}$ lbs.

STANLEY HANDYMAN TOOLS


SCRATCH AWLS



Polished and tempered steel blade anchored in hardwood handle by two ears wedged on the shank. Nickel plated ferrule. Grey and red handle with flats to prevent rolling.

Each **F2200G (H1202) D4C0**..... \$0.59
Six in box. Wt. box $\frac{3}{4}$ lb.

VISES



Clamp Type

Full machined jaws with smooth faces. Accurately threaded steel screw. Spring take-up on work holding screw insures slack-free jaw control. Two steel slide rods. Red and grey finish, nickel plated trim.

Width of jaws $2\frac{1}{2}$ ins. Jaws open $2\frac{3}{4}$ ins.

Each **F7234G (H1209) X3D00**..... \$4.49
One in box. Wt. box $3\frac{1}{2}$ lbs.

WOODWORKER'S VISES



For Work Bench or Saw Horse

Light weight portable clamp vise with press-wood face plate. Jaws 5 inches wide horizontally, $4\frac{3}{8}$ inches wide vertically "L" shaped jaws open to $3\frac{1}{2}$ inches. Sliding steel handle. Steel screw bench clamp with sliding steel handle.

Each **F7237G (700) X5D00**..... \$7.50
One in box. Wt. box $5\frac{5}{8}$ lbs.

BIT BRACES



Selected natural finish hardwood, metal clad, ball bearing head. Hardwood handle. Large steel chuck. Strong, open ratchet. Hardened spring alligator jaws. Hold ordinary size taper shank bits as well as small and medium size drills. Polished, nickel plated and buffed. Size of sweep, 10 inches.

Each **F5927G (H1250) X4D12**..... \$6.19
Six in box. Wt. box $16\frac{1}{2}$ lbs.



Grey finish native hardwood head and handle. Steel open ratchet and chuck. Pin alligator jaws. Size of sweep 10 inches.

Each **F5926G (H1253) X2D83**..... \$4.25
Six in box. Wt. box $12\frac{3}{4}$ lbs.

AUGER BITS



Extension lip pattern. Carefully forged from high carbon steel. Correct body temper prevents binding. Accurately centered screw. Hand filed lip and spur.

F6098G (H1227)

Specify size

Each Size in.	Length Twist, in.	Length Over All, in.	Each
$\frac{5}{16}$	D6C7	$3\frac{3}{4}$	\$1.00

Six in box. Wt. box $2\frac{1}{2}$ lbs.

EXPANSIVE BITS



Simple positive adjustment for size of hole. Wedging action holds cutter firm.

Tempered tool steel body. Two interchangeable hardened tool steel cutters. Tapered square shank with red tang.

Cuts holes $\frac{7}{8}$ to 3 inches

Each **F6069G (129) X2D39**..... \$3.59
One in box. Wt. box $\frac{1}{2}$ lb.

COMBINATION DRILL AND COUNTERSINK SET



Time saving accessories for $\frac{1}{4}$ -inch drills. Make screw pilot holes, holes for screw shank and countersinks.

Made of tough, durable high tungsten steel, hardened and ground.

Set of Five

For wood screws $\frac{3}{4} \times 7$ inches, 1×8 inches, $1\frac{1}{4} \times 8$ inches, $1\frac{1}{4} \times 10$ inches, $1\frac{1}{2} \times 12$ inches.

Per Set **F6283G X2D45**..... \$3.70

One set in pkg. Wt. pkg. $\frac{1}{2}$ lb.

WOOD BITS

For Power Drills



Carefully heat treated to hold keen edges. Solid center style. 50-50 brad-screw point leads bit into wood, flat side permits intermediate withdrawal.

Short shank permits work in close quarters. Fits all $\frac{1}{4}$ -inch chucks. Length over all $4\frac{1}{2}$ inches.

Five-Piece Set

One each $\frac{1}{16}$, $\frac{5}{16}$, $\frac{7}{16}$, $\frac{1}{2}$ and $\frac{5}{8}$ inch

Per Set **F5987G (125A) X3D50**..... \$5.25

One set in pkg. Wt. pkg. $\frac{1}{2}$ lb.

STAR ★ DENOTES BEST SELLER

STANLEY HANDYMAN TOOLS

DRILL POINT SETS



For Spiral Ratchet Screw Drivers


Attractive merchandiser with six sets of drill points, containing one each $\frac{3}{64}$, $\frac{1}{16}$ and $\frac{1}{8}$ inch.

Each set in celluloid vial.

Per Set **F8828G (333H) D6C0** Δ Per Set \$0.90

Six sets on merchandiser in box.
Wt. box $\frac{3}{4}$ lb.

PLIERS



Slip Joint

For all around general use and wire cutting.

Good grade steel. Highly polished chrome finish. Knurled handles for easy grip. Length 6 inches.

Each **F7199G (1500) D7C6** Δ Each \$1.15

Six in box. Wt. box $2\frac{1}{2}$ lbs.

SCREW DRIVERS



Standard

Polished steel blades, tempered entire length. Tips cross-ground to size. Fluted hardwood handles, gray and red finish. Nickel plated ferrules.

Each	Diam. Bar, in.	Length over all, in.	Wt. Box, lbs.	Δ Each
		(H1270/3)		
F3555G D2C3★	$\frac{1}{32}$	$6\frac{3}{8}$	$1\frac{3}{8}$	\$0.35
		(H1270/4)		
F3556G D2C7★	$\frac{1}{4}$	8	$1\frac{7}{8}$	.40
		(H1270/6)		
F3557G D3C2★	$\frac{3}{32}$	$11\frac{1}{2}$	$3\frac{5}{8}$	.49
Twelve in box.				

SCREW DRIVERS

Forged alloy steel bars, plated finish. Tips cross-ground to size. Two tone red and amber plastic handles, firmly anchored.



Round Bar—Regular Tip

Each	Diam. Bar, in.	Wt. Box, lbs.	Δ Each
		Length over-all 6 inches	
F3573G (3006/3) D3C3★	$\frac{3}{16}$	$\frac{3}{4}$	\$0.49
		Length over-all $7\frac{1}{4}$ inches	
F3574G (3006/4) D3C6★	$\frac{1}{4}$	$1\frac{1}{8}$	.55
		Length over-all $9\frac{3}{4}$ inches	
F3575G (3006/6) D4C9★	$\frac{5}{32}$	2	.75
Six in box			



Square Bar—Regular Tip

Each	Diam. Bar, in.	Wt. Box, lbs.	Δ Each
		Length over-all $7\frac{1}{2}$ inches	
F3576G (3007/4) D4C3★	$\frac{1}{4}$	$1\frac{1}{4}$	\$0.65
		Length over-all $9\frac{3}{4}$ inches	
F3577G (3007/6) D5C6	$\frac{5}{16}$	$2\frac{1}{4}$	.85
Six in box			



Round Bar—Cabinet Tip

Each	Diam. Bar, in.	Wt. Box, lbs.	Δ Each
		Length over-all $6\frac{1}{8}$ inches	
F3578G (3008/3) D3C3★	$\frac{3}{16}$	$\frac{5}{8}$	\$0.49
		Length over-all 9 inches	
F3579G (3008/6) D3C6★	$\frac{3}{16}$	$1\frac{1}{4}$	.55
Six in box			



Round Narrow Bar—Cabinet Tip

Each	Diam. Bar, in.	Length over all, in.	Δ Each
		Diameter of bar $\frac{3}{64}$ inch. Length over all $5\frac{1}{2}$ inches.	
		Radio	
F3582G (3016/4) D2C9			\$0.45
Six in box. Wt. box $\frac{1}{2}$ lb.			



Close Quarter

Diameter of bar $\frac{1}{4}$ inch. Length over all $3\frac{7}{8}$ inches.

Each	Diam. Bar, in.	Length over all, in.	Δ Each
F3581G (3012) D3C6			\$0.55
Six in box. Wt. box $\frac{1}{16}$ lb.			



Pocket—With Clip

Diameter of bar $\frac{1}{8}$ inch. Length over all $3\frac{7}{8}$ inches.

Each	Diam. Bar, in.	Length over all, in.	Δ Each
F3580G (3010) D1C7			\$0.25
Six in box. Wt. box $\frac{3}{8}$ lb.			

COLD CHISELS



Hexagon carbon tool steel, hardened and tempered. Polished bits. Grey satin finish on body with red trim.

Each	Width Bit, in.	Lgth., in.	Wt. Box, lbs.	Δ Each
F1238G (H38) D3C5	$\frac{3}{8}$	$5\frac{1}{4}$	$1\frac{1}{4}$	\$0.50
F1239G (H48) D3C9	$\frac{1}{2}$	6	3	.60

Twelve in a box

PUNCHES

Octagon cold drawn steel, hardened and tempered. Polished points. Grey satin finish on body with red trim.

HAND PUNCHES



Stock $\frac{1}{2}$ in. Points $\frac{1}{8}$ in. Length $6\frac{1}{4}$ in.

Each	Stock, in.	Points, in.	Length, in.	Δ Each
F4948G (H5) D4C4				\$0.65
Twelve in box. Wt. box 4 lbs.				

PIN PUNCHES



Stock $\frac{3}{8}$ in. Point $\frac{5}{32}$ in. Length $5\frac{3}{4}$ in.

Each	Stock, in.	Point, in.	Length, in.	Δ Each
F4949G (H6) D4C4				\$0.65
Twelve in box. Wt. box 2 lbs.				

CENTER PUNCHES



Stock $\frac{3}{8}$ in. Length 5 inches.

Each	Stock, in.	Length, in.	Δ Each
F4950G (H8) D4C0			\$0.60
Twelve in box. Wt. box $2\frac{1}{4}$ lbs.			



High grade tempered steel. Machine knurled body. Point perfectly centered. Square red head. Point and head end polished.


Point $\frac{1}{8}$ in. Length $3\frac{7}{8}$ inches.

Each	Point, in.	Length, in.	Δ Each
F4897G (H1210) D2C1			\$0.32
Twelve in box. Wt. box 1 lb.			

STAR ★ DENOTES BEST SELLER

STANLEY HANDYMAN TOOLS

TINNER'S SNIPS



Duckbill Pattern

Cut straight, circular and irregular shapes.

Forged from high quality carbon steel. Crown shaped polished blades. Handles finished in red and grey. Length 10 inches.

Each Δ Each
F7430G (1541) X1D93 \$2.89
 Six in box. Wt. box 7 lbs.

ELECTRIC SOLDERING IRONS



For light, intermittent soldering jobs in the home, garage or service shop.

Compressed pure copper tips. Nichrome heating element solidly embedded in electrical insulating materials. Cool comfortable wood handle. Six foot cord and plug. Length 12 in.

Each	Diam. Tip, in.	Wt. Each lbs.	Δ Each
F7418G (435) X3D73	$\frac{3}{4}$	80	$1\frac{1}{8}$ \$5.60

One in box

NAIL SETS



High grade, tempered steel. Tips accurately cupped and chamfered. Knurled body. Square head finished red.

Each	Point Size, in.	Δ Each
F1199G (H1211$\frac{2}{32}$) D2C1★	$\frac{3}{32}$	\$0.32
F1200G (H1211$\frac{3}{32}$) D2C1★	$\frac{3}{32}$	.32
F1201G (H1211$\frac{4}{32}$) D2C1	$\frac{1}{32}$	.32

Twelve in box. Wt. box $1\frac{1}{4}$ lbs.

NAIL HAMMERS



Drop forged head with curved claw. Polished face and poll, balance of head finished in black. Straight grain gray hickory handle 13 inches long, triple-wedged in head.

16 ounce.
 Each Δ Each
F4530G (H111 $\frac{1}{2}$) X1D73★ \$2.59
 Six in box. Wt. box 9 lbs.



Ripping

Drop forged head and claw. Black finish with polished face and poll. Straight grain gray hickory handle 13 inches long, wedged in head.

Each Δ Each
F4531G (H121 $\frac{1}{2}$) X1D73★ \$2.59
 Six in box. Wt. box 9 lbs.

BALL PEIN HAMMERS



Head forged from high grade steel, correctly heat treated. Black finish on head with polished face and pein. Straight grain gray finish hickory handle. Length $14\frac{1}{2}$ inches.

16 ounce.
 Each Δ Each
F4532G (H0310) X1D49 \$2.25
 Six in box. Wt. box $8\frac{1}{4}$ lbs.

HATCHETS



Handy Size

Head forged from special steel and tempered to hold a keen edge. Beveled nail slot. Black enamel finish with polished head and bit. Hickory handle, firmly attached. Length over all 12 inches.

$3\frac{5}{8}$ inch cut.
 Each Δ Each
F4796G (H122) X2D83 \$4.25
 Six in box. Wt. box 12 lbs.

RIPPING CHISELS



Offset

Drop forged from high grade hexagon cold drawn tool steel. Toughened to withstand bending or breaking. Chisel end carefully beveled, ground and polished. Gray body with red claw end.

Stock $\frac{3}{4}$ inch. Cutting edge 2 inches. Length 18 inches.

Each Δ Each
F4445G (818) X1D67★ \$2.49
 Four in box. Wt. box 10 lbs.

NAIL CLAWS



Forged alloy steel $\frac{5}{8}$ inch octagon stock, hardened and tempered to take hammer blows. Beveled claw ground and polished on outer side.

Gray over all finish with red trim. Length over all 11 inches.

Each Δ Each
F4450G (33) X1D08 \$1.59
 Six in ctn. Wt. ctn. 6 lbs.

STAR ★ DENOTES BEST SELLER